ELSEVIER

Brain Research 665 (1994) 331–333

BRAIN RESEARCH

Author Index

Akabayashi, A., Watanabe, Y., Wahlestedt, C., McEwen, B.S., Paez, X. and Leibowitz, S.F.
Hypothalamic neuropeptide Y, its gene expression and receptor activity: relation to circulating corticosterone in adrenalectomized rats (665) 201
Akhondzadeh, S. and Stone, T.W.
Interaction between adenosine and $GABA_A$ receptors on hippocampal neurones (665) 229
Anastasiadis, P.Z., Kuhn, D.M. and Levine, R.A.
Tetrahydrobiopterin uptake into rat brain synaptosomes, cultured PC12 cells, and rat striatum (665) 77
Anderson, R.E., see Regli, L. (665) 155
Andresen, M.C., see Reynolds, P.J. (665) 115
Araki, T., see Lee, E.J. (665) 127
Assal, A.A., see Jarvis, M.F. (665) 33
Averill, D.B., Tsuchihashi, T., Khosla, M.C. and Ferrario, C.M.
Losartan, nonpeptide angiotensin II-type 1 (AT_1) receptor antagonist, attenuates pressor and sympathoexcitatory responses evoked by angiotensin II and L-glutamate in rostral ventrolateral medulla (665) 245

Bae, C.S., see Lee, E.J. (665) 127
Baird, A., see Gonzalez, A.M. (665) 285
Baumhaker, Y., Ben-Dor, T. and Sarne, Y.
Characterization of a triple opioid system in the human neuroblastoma NMB cell line (665) 94
Beggs, J.M. and Kairiss, E.W.
Electrophysiology and morphology of neurons in rat perirhinal cortex (665) 18
Ben-Dor, T., see Baumhaker, Y. (665) 94
Bickler, P.E. and Hansen, B.M.
Causes of calcium accumulation in rat cortical brain slices during hypoxia and ischemia: role of ion channels and membrane damage (665) 269
Björklund, A., see Cenci, M.A. (665) 167
Bodnar, R.J., see Rossi, G.C. (665) 85
Bonvento, G., Charbonné, R., Corrèze, J.-L., Borredon, J., Seylaz, J. and Lacombe, P.
Is α-chloralose plus halothane induction a suitable anesthetic regimen for cerebrovascular research? (665) 213
Borredon, J., see Bonvento, G. (665) 213
Brady, R.J., see Gorter, J.A. (665) 63
Brown, L.L., see Moshé, S.L. (665) 141
Bush, L.G., see Wagstaff, J.D. (665) 237

Campagnole-Santos, M.J., see Fontes, M.A.P. (665) 175
Carlen, P.L., see Weiner, J.L. (665) 307
Carman, L.S., see Gonzalez, A.M. (665) 285
Cenci, M.A. and Björklund, A.
Transection of corticostriatal afferents abolishes the hyperexpression of Fos and counteracts the development of rotational overcompensation induced by intrastriatal dopamine-rich grafts when challenged with amphetamine (665) 167
Charbonné, R., see Bonvento, G. (665) 213
Choi, J.K., see Lee, E.J. (665) 127
Colvin, R.A., Davis, N., Wu, A., Murphy, C.A. and Levengood, J.
Studies of the mechanism underlying increased Na^+/Ca^{2+} exchange activity in Alzheimer's disease brain (665) 192
Corrèze, J.-L., see Bonvento, G. (665) 213
Cursham, M.J.A., see Kelly, P.A.T. (665) 315

Davis, N., see Colvin, R.A. (665) 192
De Greef, W.J., see Rondeel, J.M.M. (665) 262
Dickson, E.M., see Kelly, P.A.T. (665) 315
Dörner, R., Zens, M. and Schlue, W.-R.
Effects of glutamatergic agonists and antagonists on membrane potential and intracellular Na^+ activity of leech glial and nerve cells (665) 47
Duggan, S., Hong, M., Milne, B. and Jhamandas, K.
The role of excitatory amino acids in the expression of precipitated acute and chronic clonidine withdrawal: an in vivo voltammetric study in the rat locus coeruleus (665) 253

Erfurth, A., Gardier, A.M., Ribeiro, E. and Wurtman, R.J.
Effects of subchronic pretreatment with D-fenfluramine or *p*-chloroamphetamine on [^{3}H]inositolmonophosphate accumulation in rat cortical miniprisms (665) 107

Ferrario, C.M., see Averill, D.B. (665) 245
Flynn, F.W., see Smith, M.E. (665) 123
Fontes, M.A.P., Silva, L.C.S., Campagnole-Santos, M.J., Khosla, M.C., Guertzenstein, P.G. and Santos, R.A.S.
Evidence that angiotensin-(1–7) plays a role in the central control of blood pressure at the ventro-lateral medulla acting through specific receptors (665) 175
Fujimoto, K., see Suzuki, T. (665) 311

Gage, F.H., see Gonzalez, A.M. (665) 285
Gardier, A.M., see Erfurth, A. (665) 107
Gardner, C.R., see Pringle, A.K. (665) 222
Gessner, G., see Jarvis, M.F. (665) 33
Gibb, J.W., see Wagstaff, J.D. (665) 237
Gonzalez, A.M., Carman, L.S., Ong, M., Ray, J., Gage, F.H., Shults, C.W. and Baird, A.
Storage, metabolism, and processing of ^{125}I-fibroblast growth factor-2 after intracerebral injection (665) 285
Gorter, J.A. and Brady, R.J.
NMDA receptor responses in adult hippocampal CA1 region after neonatal treatment with MK-801: comparison with NMDA receptor responses in the immature rat (665) 63
Guan, J.-L., see Wang, Q.-P. (665) 39
Guertzenstein, P.G., see Fontes, M.A.P. (665) 175

Hansen, B.M., see Bickler, P.E. (665) 269
Hanson, G.R., see Wagstaff, J.D. (665) 237
Hashikawa, T., see Irie, F. (665) 161
Hastings, J.A., see Morris, M.J. (665) 5
Hirabayashi, Y., see Irie, F. (665) 161
Hirano, T., Simbulan, D. and Kumazawa, T.
Effects of kainic acid in the parabrachial region for ongoing respiratory activity and reflexive respiratory suppression (665) 54
Hoggatt, A.M. and Lannoo, M.J.
Monoclonal antibody anti-type I and anti-zebrin II labelling in siluriform fishes: the role of shared lineage versus shared function in polypeptide co-distributions (665) 181
Hong, M., see Duggan, S. (665) 253

Iacovitti, L., see Kerr, C.W. (665) 300
Ignatowski, T.A. and Spengler, R.N.
Tumor necrosis factor-α: presynaptic sensitivity is modified after antidepressant drug administration (665) 293

Ikarashi, Y., see Takahashi, A. (665) 13
Irie, F., Hashikawa, T., Tai, T., Seyama, Y. and Hirabayashi, Y.
Distribution of cholinergic neuron-specific gangliosides (GT1aα and GQ1bα) in the rat central nervous system (665) 161
Ishimaru, H., see Takahashi, A. (665) 13
Itoyama, Y., see Lee, E.J. (665) 127

Jarvis, M.F., Assal, A.A. and Gessner, G.
Pharmacological characterization of the rat cerebellar endothelin$_B$ (ET_B) receptor using the novel agonist radioligand [^{125}I]BQ3020 (665) 33
Jeftinija, S.
Bradykinin excites tetrodotoxin-resistant primary afferent fibers (665) 69
Jhamandas, K., see Duggan, S. (665) 253

Kairiss, E.W., see Beggs, J.M. (665) 18
Kakishita, E., see Konya, H. (665) 130
Kalra, S.P., see Li, B.-H. (665) 277
Kanagawa, M., see Suzuki, T. (665) 311
Kato, H., see Lee, E.J. (665) 127
Kato, N.
Long-term depression requiring tACPD-receptor activation and NMDA-receptor blockade (665) 158
Kawashima, K., see Suzuki, T. (665) 311
Kelly, B., see Kelly, P.A.T. (665) 315
Kelly, P.A.T., Ritchie, I.M., Sangra, M., Cursham, M.J.A., Dickson, E.M., Kelly, B., Neilson, F.P., Reidy, M.J. and Stevens, M.C.
Hyperaemia in rat neocortex produced by acute exposure to methylenedioxymethamphetamine (665) 315
Kerr, C.W., Lee, L.J., Romero, A.A., Stull, N.D. and Iacovitti, L.
Purification of dopamine neurons by flow cytometry (665) 300
Khosla, M.C., see Averill, D.B. (665) 245
Khosla, M.C., see Fontes, M.A.P. (665) 175
Kikkawa, S., see Nakagawa, H. (665) 319
Kishi, E., see Takahashi, A. (665) 13
Klootwijk, W., see Rondeel, J.M.M. (665) 262
Konya, H., Masuda, H., Nagai, K. and Kakishita, E.
Release of α-neoendorphin from the anterior pituitary gland of conscious rats (665) 130
Kubota, C., see Sugisaki, T. (665) 101
Kubová, H., see Moshé, S.L. (665) 141
Kuhn, D.M., see Anastasiadis, P.Z. (665) 77
Kumazawa, T., see Hirano, T. (665) 54

Lacombe, P., see Bonvento, G. (665) 213
Lannoo, M.J., see Hoggatt, A.M. (665) 181
Lee, E.J., Kato, H., Araki, T., Lee, T.-H., Bae, C.S., Choi, J.K. and Itoyama, Y.
Ontogeny of protein kinase C in the rat hippocampus: an autoradiographic study with [^{3}H]phorbol 12,13-dibutyrate (665) 127
Lee, L.J., see Kerr, C.W. (665) 300
Lee, T.-H., see Lee, E.J. (665) 127
Leibowitz, S.F., see Akabayashi, A. (665) 201
Levengood, J., see Colvin, R.A. (665) 192
Levine, R.A., see Anastasiadis, P.Z. (665) 77
Li, B.-H., Xu, B., Rowland, N.E. and Kalra, S.P.
c-*fos* expression in the rat brain following central administration of neuropeptide Y and effects of food consumption (665) 277
Linkels, E., see Rondeel, J.M.M. (665) 262

Maruyama, Y., see Takahashi, A. (665) 13
Masuda, H., see Konya, H. (665) 130
Matsumoto, N., see Nakagawa, H. (665) 319
McEwen, B.S., see Akabayashi, A. (665) 201
Meyer, F.B., see Regli, L. (665) 155
Milne, B., see Duggan, S. (665) 253
Morris, M.J., Hastings, J.A. and Pavia, J.M.
Catecholamine release in the rat hypothalamic paraventricular nucleus in response to haemorrhage, desipramine and potassium (665) 5
Moshé, S.L., Brown, L.L., Kubová, H., Velíšková, J., Zukin, R.S. and Sperber, E.F.
Maturation and segregation of brain networks that modify seizures (665) 141
Murphy, C.A., see Colvin, R.A. (665) 192

Nagai, K., see Konya, H. (665) 130
Nakagawa, H., Kikkawa, S. and Matsumoto, N.
Synaptic connection patterns between frog retinal ganglion cells and tectal neurons revealed by whole-cell recordings in vivo (665) 319
Nakai, Y., see Wang, Q.-P. (665) 39
Neilson, F.P., see Kelly, P.A.T. (665) 315
Noguchi, T., see Sugisaki, T. (665) 101

Ohno, M., Yoshida, H. and Watanabe, S.
NMDA receptor-mediated expression of Fos protein in the rat striatum following methamphetamine administration: relation to behavioral sensitization (665) 135
Ong, M., see Gonzalez, A.M. (665) 285

Paez, X., see Akabayashi, A. (665) 201
Pasternak, G.W., see Rossi, G.C. (665) 85
Pavia, J.M., see Morris, M.J. (665) 5
Pringle, A.K., Gardner, C.R. and Walker, R.J.
Different functional effect of Ro 15-4513 and Ro 19-4603 on synaptic responses of Purkinje cells in the rat cerebellar slice (665) 222

Ray, J., see Gonzalez, A.M. (665) 285
Regli, L., Anderson, R.E. and Meyer, F.B.
Basic fibroblast growth factor increases cortical blood flow in vivo (665) 155
Reidy, M.J., see Kelly, P.A.T. (665) 315
Reynolds, P.J., Yang, M. and Andresen, M.C.
Contribution of potassium channels to the discharge properties of rat aortic baroreceptor sensory endings (665) 115
Ribeiro, E., see Erfurth, A. (665) 107
Ritchie, I.M., see Kelly, P.A.T. (665) 315
Romero, A.A., see Kerr, C.W. (665) 300
Rondeel, J.M.M., Klootwijk, W., Linkels, E., De Greef, W.J. and Visser, T.J.
Neural differentiation of the human neuroblastoma cell line IMR32 induces production of a thyrotropin-releasing hormone-like peptide (665) 262
Rossi, G.C., Pasternak, G.W. and Bodnar, R.J.
μ and δ opioid synergy between the periaqueductal gray and the rostro-ventral medulla (665) 85
Rowland, N.E., see Li, B.-H. (665) 277

Saitoh, S., see Sugisaki, T. (665) 101
Sangra, M., see Kelly, P.A.T. (665) 315
Santos, R.A.S., see Fontes, M.A.P. (665) 175
Sarne, Y., see Baumhaker, Y. (665) 94
Schlue, W.-R., see Dörner, R. (665) 47
Schlue, W.-R., see Szatkowski, M.S. (665) 1
Seyama, Y., see Irie, F. (665) 161
Seylaz, J., see Bonvento, G. (665) 213
Shibata, S. and Watanabe, S.
Facilitatory effect of olfactory bulbectomy on 2-deoxyglucose uptake in rat amygdala slices (665) 147
Shibata, S., see Yamamoto, Y. (665) 151
Shults, C.W., see Gonzalez, A.M. (665) 285
Sica, A.L. and Siddiqi, Z.A.
Reduction of baroreceptor-related sympathetic discharge during NMDA receptor antagonism (665) 323
Siddiqi, Z.A., see Sica, A.L. (665) 323
Silva, L.C.S., see Fontes, M.A.P. (665) 175
Simbulan, D., see Hirano, T. (665) 54
Smith, M.E. and Flynn, F.W.
Tachykinin NK_3 receptor agonist blocks sodium deficiency-induced shift in taste reactivity (665) 123
Spengler, R.N., see Ignatowski, T.A. (665) 293
Sperber, E.F., see Moshé, S.L. (665) 141
Stevens, M.C., see Kelly, P.A.T. (665) 315
Stone, T.W., see Akhondzadeh, S. (665) 229
Stull, N.D., see Kerr, C.W. (665) 300
Sugisaki, T., Yamada, T., Saitoh, S., Takamatsu, K., Kubota, C. and Noguchi, T.
Hippocalcin expression in the brain of the Snell dwarf mutant mouse (665) 101
Suzuki, T., Kanagawa, M., Takada, Y., Fujimoto, K. and Kawashima, K.
Nerve growth factor treatment induces high-potassium-evoked calcium-dependent acetylcholine release in cultured embryonic rat septal cells (665) 311
Szatkowski, M.S. and Schlue, W.-R.
Chloride-dependent pH regulation in connective glial cells of the leech nervous system (665) 1

Tai, T., see Irie, F. (665) 161
Takada, Y., see Suzuki, T. (665) 311
Takahashi, A., Ishimaru, H., Ikarashi, Y., Kishi, E. and Maruyama, Y.

Hypothalamic cholinergic and noradrenergic neurons in hyperglycemia induced by 2-deoxyglucose (665) 13
Takamatsu, K., see Sugisaki, T. (665) 101
Tanaka, T., see Yamamoto, Y. (665) 151
Tsuchihashi, T., see Averill, D.B. (665) 245

Velíšková, J., see Moshé, S.L. (665) 141
Visser, T.J., see Rondeel, J.M.M. (665) 262

Wagstaff, J.D., Bush, L.G., Gibb, J.W. and Hanson, G.R.
Endogenous neurotensin antagonizes methamphetamine-enhanced dopaminergic activity (665) 237
Wahlestedt, C., see Akabayashi, A. (665) 201
Walker, R.J., see Pringle, A.K. (665) 222
Wang, Q.-P., Guan, J.-L. and Nakai, Y.
Immunoelectron microscopy of enkephalinergic innervation of GABAergic neurons in the periaqueductal gray (665) 39
Watanabe, S., see Ohno, M. (665) 135
Watanabe, S., see Shibata, S. (665) 147
Watanabe, S., see Yamamoto, Y. (665) 151
Watanabe, Y., see Akabayashi, A. (665) 201
Weiner, J.L., Zhang, L. and Carlen, P.L.
Guanine nucleotide phosphate analogs modulate ethanol potentiation of $GABA_A$-mediated synaptic currents in hippocampal CA1 neurons (665) 307
Wu, A., see Colvin, R.A. (665) 192
Wurtman, R.J., see Erfurth, A. (665) 107

Xu, B., see Li, B.-H. (665) 277

Yamada, T., see Sugisaki, T. (665) 101
Yamamoto, Y., Tanaka, T., Shibata, S. and Watanabe, S.
Involvement of D_1 dopamine receptor mechanism in ischemia-induced impairment of CA1 presynaptic fiber spikes in rat hippocampal slices (665) 151
Yang, M., see Reynolds, P.J. (665) 115
Yoshida, H., see Ohno, M. (665) 135

Zens, M., see Dörner, R. (665) 47
Zhang, L., see Weiner, J.L. (665) 307
Zukin, R.S., see Moshé, S.L. (665) 141